

STANDARD OPTIONS

MATERIAL:

16 gauge cold rolled steel

HINGE:

Continuous piano hinge

LOCK / LATCH:

Self latching tool-key operated latch and/or ring operated latch, both included

INSIDE PANEL RELEASE:

Standard on all doors over 12" x 12"

AUTOMATIC PANEL CLOSER:

Standard on all doors

FINISH:

High quality white powder coat primer

PACKAGING:

Individually wrapped, 1 per box

OPTIONS AVAILABLE

LOCK / LATCH:

- Key operated cylinder cam latch
- · Hex head slam latch
- · Mortise deadbolt lock
- Handle operated slam latch
- Mortise preparation for cylinder (cylinder optional)

MATERIAL:

Stainless steel 304 #4 (brushed finish)

MASONRY ANCHOR:

Available on all sizes

Fire Rating information on Page 2

For a complete list of options visit www.BestAccessDoors.ca





To view Pricing and Additional Product Info.

LEED READY: THIS PRODUCT CONTRIBUTES TO LEED® CREDITS





SUBMITTAL/TECHNICAL DATA SHEET

SKU: BAC-PFN-SS


FIRE RATED UNINSULATED ACCESS DOOR

FOR WALLS ONLY - STAINLESS STEEL



■ INSTALLATION


>> CLICK TO VIEW ADDITIONAL DETAILS AND PRICING <<



DIMENSIONS AND APPEARANCE

STANDARD SIZES:

DOOR SIZE		NUMBER	WEIGHT	
W x H inches (MM)		OF LOCKS	LBS	KG
8 x 8	(203 x 203)	1	5	2.3
10 x 10	(254 x 254)	1	7	3.2
12 x 12	(304 x 304)	1	8	3.6
14 x 14	(355 x 355)	1	10	4.5
16 x 16	(406 x 406)	1	12	5.5
18 x 18	(457 x 457)	1	14	6.4
22 x 22	(558 x 558)	1	18	8.2
22 x 30	(558 x 762)	1	22	10
22 x 36	(558 x 914)	2	27	12.2
24 x 24	(609 x 609)	1	22	10
24 x 36	(609 x 914)	2	29	13.2
30 x 30	(762 x 762)	1	30	13.6
32 x 32	(812 x 812)	2	33	15
36 x 36	(914 x 914)	2	39	17.7




ROUGH WALL OPENING IS DOOR SIZE + 1/4" OR + 6MM

PROJECT DATA

Custom Sizes Available - Fast!

PROJECT NAME :	QTY	w	Н	OPTIONS	
				2	
ARCHITECT:					
DEALER:					
CONTRACTOR:					
LOCATION:	SPECIAL INSTRUCTIONS:				
DATE:					
TAGGING INSTRUCTIONS:	SUBMITTAL APPROVAL : (signature or stamp)				









BAC-PFN-SS

FIRE RATED UNINSULATED ACCESS DOOR FOR WALLS ONLY

■ FIRE RATING

FOR VERTICAL WALL ASSEMBLIES ONLY:

CERTIFIED TO STANDARDS: UBC 7-2 (1997), UL 10B (1997), UL 10B (2009), NFPA 252 (2003), NFPA 252 (2008), NFPA 252 (2012), CAN/ULC S104 (R1985), CAN/ULC S104 (2010).


RATING ACHIEVED: 1-1/2 hours, neutral/negative pressure

MAXIMUM SIZE: 36" wide x 36" high (914 mm x 914 mm). Maximum area of 1296 in².

Tolerance on height and width limitation is ± 3" (76 mm) as long as the area does not exceed 1296 in²

TEMPERATURE RISE: No rating achieved.

■ INSTALLATION: WALLS



Authorities Having Jurisdiction (AHJ) should be consulted in all cases as to the particular requirements covering the installation and use of fire rated access doors.









