



INTERIOR VERTICAL MAILBOXES

BAC-MBVR Recessed interior model




Choice of 2 to 8 compartments/doors per unit

BAC-MBVS Semi-recessed interior model



Choice of 2 to 8 compartments/doors per unit

BAC-MBVIW Semi mounted interior model



Choice of 2 to 8 compartments/doors per unit


DESCRIPTION

Our vertical type recessed, semi-recessed and wall mounted mailboxes are made from reinforced extruded aluminum and 20 gauge galvalume steel. Our BAC-MBVR, BAC-MBVS and BAC-MBVIW models are available in modules of 2 to 8 compartments/doors, surrounded by a rigid extruded aluminum structure. Compartments and doors are made of extruded aluminum and each compartment is reinforced on the sides and center by an extrusion membrane. They also have a cam lock with 2 keys. Each door features a name plate (GRAVOPLY) with required engraved identification related to its tenant/owner.

STANDARD FEATURES


- Recessed depth (BAC-MBVR): 6 3/4" (17.1 cm)
- Semi-recessed depth (BAC-MBVS): exposed 3 3/4" (9.5 cm) recessed 3 3/8" (8.6 cm)
- Wall mounted depth (BAC-MBVIW): 7 1/8" (18.1 cm)
- Dimension of compartments: 15 13/16" H x 5 1/2" W x 6 1/2" D (40.2 cm x 13.97 cm x 16.5 cm)
- Dimension of doors: 15 3/4" H x 5 1/2" W (40.0 cm x 13.97 cm)
- Recessed name plate holders: 2 1/2" W x 1 1/16" H (6.4 cm x 1.7 cm)
- Standard finish: Natural Aluminum 628
- Camlock with 2 keys
- Collar for semi-recessed and wall mounted mailboxes is made of painted steel
- Master lock preparation (Master lock provided by Canada Post)
- Open position locking pin

SIDE-BY-SIDE INSTALLATION DIMENSIONS



For box dimensions see page 4.

OVER-UNDER INSTALLATION DIMENSIONS



IMPORTANT NOTICE FOR ROUGH WALL OPENING


- Minimum rough wall opening depth
- BAC-MBVR: 6 3/4" (17.1 cm)
- BAC-MBVS: 3 3/8" (8.6 cm)
- To calculate rough wall opening add 1/4" (0.6 cm) to the actual width dimensions.

■ EXTERIOR VERTICAL MAILBOXES

BAC-MBVEW Wall mounted exterior model



Choice of 2 to 8 compartments/doors per unit



DESCRIPTION

Our vertical type exterior wall mounted or pedestal mounted mailboxes are made from reinforced extruded aluminum and 20 gauge galvalneal steel. Our BAC-MBVEW model is available in modules of 2 to 8 compartments/doors and our BAC-MBVP model is available in modules of 2 to 6 compartments/doors. Both models are surrounded by a rigid structure of thick aluminum designed for outdoor use. Compartments and doors are made of extruded aluminum and each compartment is reinforced on the sides and center by an extrusion membrane. They also have a cylinder lock with 2 keys. Each door features a name plate (GRAVOPLY) with required engraved identification related to its tenant/owner.

STANDARD FEATURES

- Material: Reinforced extruded aluminum and 20 gauge galvalneal steel
- Dimension of doors: 15 3/4" H x 5 1/2" W (40.0 cm x 13.97 cm)
- Dimension of compartments: 15 13/16" H x 5 1/2" W x 6 1/2" D (40.2 cm x 13.97 cm x 16.5 cm)
- Recessed name plate holders: 2 1/2" W x 1 1/16" H (6.4 cm x 1.7 cm)
- Standard finish: Natural anodized aluminum finish #628
- Cylinder lock with 2 keys. Keyed differently.
- For pedestal mounting see illustration "vertical pedestal dimensions"
- Master lock preparation (Master lock provided by Canada Post)
- Open position locking pin
- GRAVOPLY

BAC-MBVP Exterior pedestal model



Actual box dimensions: BAC-MBVR and BAC-MBVS [W x H]

WIDTH QTY	2	3	4	5	6	7	8
Inches	12 5/16 x 17 5/8	17 29/32 x 17 5/8	23 1/2 x 17 5/8	29 1/16 x 17 5/8	34 21/32 x 17 5/8	40 1/4 x 17 5/8	45 13/16 x 17 5/8
CM	31.3 x 44.7	45.5 x 44.7	59.7 x 44.7	73.8 x 44.7	88.0 x 44.7	102.2 x 44.7	116.4 x 44.7

Actual box dimensions: BAC-MBVIW, BAC-MBVEW and BAC-MBVP [W x H]

WIDTH QTY	2	3	4	5	6	7	8
Inches	14 X 19 1/4	19 1/2 X 19 1/4	25 1/8 X 19 1/4	30 11/16 X 19 1/4	36 1/4 X 19 1/4	41 7/8 X 19 1/4	47 7/16 X 19 1/4
CM	35.6 X 48.9	49.5 X 48.9	63.8 X 48.9	77.9 X 48.9	92.1 X 48.9	106.4 X 48.9	120.5 X 48.9

IMPORTANT NOTICE FOR ROUGH WALL OPENING

• Minimum rough wall opening depth: BAC-MBVR: 6 3/4" (17.1 cm), BAC-MBVS: 3 3/8" (8.6 cm)

• To calculate rough wall opening add 1/4" (0.6 cm) to the actual width dimensions.

EXTERIOR VERTICAL MAILBOXES

BAC-MBVS Over-under exterior model



Choice of 2 to 6 compartments/doors per unit Maximum 2 units high

BAC-MBVSP Over-under with pedestal exterior model



Choice of 2 to 6 compartments/doors per unit
Maximum 2 units high

DESCRIPTION

Our vertical exterior models also come with the option of being mounted on a pedestal with an over-under configuration or a back-to-back configuration. Our vertical type exterior wall mounted or pedestal mounted mailboxes are made from reinforced extruded aluminum and 20 gauge galvalume steel. Our BAC-MBVS, BAC-MBVSP and BAC-MBVBP models are available in modules of 2 to 6 doors, surrounded by a rigid structure of thick aluminum designed for outdoor use. Compartments and doors are made of extruded aluminum and each compartment is reinforced on the sides and center by an extrusion membrane. They also have a cylinder lock with 2 keys. Each door features a name plate (GRAVOPLY) with required engraved identification related to its tenant/owner.

STANDARD FEATURES

- Material: Reinforced extruded aluminum and 20 gauge galvalume steel
- Dimension of doors: 15 3/4" H x 5 1/2" W (40.0 cm x 13.97cm)
- Dimension of compartments: 15 13/16" H x 5 1/2" W x 6 1/2" D (40.2 cm x 13.97 cm x 16.5 cm)
- Recessed name plate holders: 2 1/2" W x 11/16" H (6.4cm x 1.7cm)
- Standard finish: Natural anodized aluminum finish #628
- 2 Cylinder lock with 2 keys. Keyed differently.
- For pedestal mounting see illustrations below
- Master lock preparation (Master lock provided by Canada Post)
- Open position locking pin
- GRAVOPLY

BAC-MBVBP Back-to-back with pedestal exterior model



Choice of 2 to 6 compartments/doors per unit
Maximum 2 units high

Actual box dimensions: BAC-MBVS, BAC-MBVSP and BAC-MBVBP [W x H]

WIDTH QTY	2	3	4	5	6	7	8
Inches	14 9/16 X 19 1/4	19 1/2 X 19 1/4	25 1/8 X 19 1/4	30 11/16 X 19 1/4	36 9/32 X 19 1/4	42 7/8 X 19 1/4	47 3/8 X 19 1/4
CM	37.0 X 48.9	49.5 X 48.9	63.8 X 48.9	77.9 X 48.9	92.2 X 48.9	107 X 48.9	102.3 X 48.9

INTERIOR HORIZONTAL MAILBOXES

BAC-MBHRF Front loading model
BAC-MBHRR Rear loading model



Note: 1 compartment solely dedicated for master lock installation.
Option: High security locking panel (see page 7-).

MEET OR EXCEED CANADA POST STANDARDS

STANDARD FEATURES

- Extruded aluminum for all visible parts, natural anodized finish #628
- Shelves and panels made of 22 gauge galvalume steel
- Gate mounted on stainless steel hinge pins
- Hinge bearing with nylon plate to eliminate friction on gate
- Mailbox doors made of extruded aluminum and reinforced on the side and the center by extrusion membrane
- Cam lock with 2 keys
- GRAVOPLY
- 1 compartment solely dedicated for master lock installation (front loading only)
- Master lock preparation (Master lock provided by Canada Post)

OPTIONS

- Front finishing trims
- Mail slots
- Variable depths
- 3 keys per lock
- Pedestal
- Master keys (for private mail distribution)
- Back locking panel (for model BAC-MBHRR)
- High security locking panel
- Shroud (20 gauge galvalume steel)

Actual box dimensions: BAC-MBHRF and BAC-MBHRR [W x H]

WIDTH QTY	1	2	3	4	5	6	HEIGHT QTY
Inches	8 X 6 ^{31/32}	14 1/2 x 7	20 ^{31/32} x 7	27 ^{13/32} x 7	33 ^{15/16} x 7	40 ^{7/16} X 7	1
CM	20.3 x 17.7	36.8 x 17.7	53.2 x 17.7	69.6 x 17.7	86.0 x 17.7	102.5 x 17.7	
Inches	8 x 12 ^{7/16}	14 1/2 x 12 ^{7/16}	21 x 12 ^{7/16}	27 ^{1/2} x 12 ^{7/16}	33 ^{7/8} x 12 ^{7/16}	40 ^{3/8} x 12 ^{7/16}	2
CM	20.3 x 31.5	36.8 x 31.5	53.2 x 31.5	69.6 x 31.5	86.0 x 31.5	102.5 x 31.5	
Inches	8 x 18 ^{1/16}	14 1/2 x 18 ^{1/16}	21 x 18 ^{1/16}	27 ^{1/2} x 18 ^{1/16}	33 ^{7/8} x 18 ^{1/16}	40 ^{3/8} x 18 ^{1/16}	3
CM	20.3 x 45.7	36.8 x 45.7	53.2 x 45.7	69.6 x 45.7	86.0 x 45.7	102.5 x 45.7	
Inches	8 x 23 ^{5/8}	14 1/2 x 23 ^{5/8}	21 x 23 ^{5/8}	27 ^{1/2} x 23 ^{5/8}	33 ^{7/8} x 23 ^{5/8}	40 ^{3/8} x 23 ^{5/8}	4
CM	20.3 x 59.9	36.8 x 59.9	53.2 x 59.9	69.6 x 59.9	86.0 x 59.9	102.5 x 59.9	
Inches	8 x 29 ^{1/4}	14 1/2 x 29 ^{1/4}	21 x 29 ^{1/4}	27 ^{1/2} x 29 ^{1/4}	33 ^{7/8} x 29 ^{1/4}	40 ^{3/8} x 29 ^{1/4}	5
CM	20.3 x 74.2	36.8 x 74.2	53.2 x 74.2	69.6 x 74.2	86.0 x 74.2	102.5 x 74.2	
Inches	8 x 34 ^{7/8}	14 1/2 x 34 ^{7/8}	21 x 34 ^{7/8}	27 ^{1/2} x 34 ^{7/8}	33 ^{7/8} x 34 ^{7/8}	40 ^{3/8} x 34 ^{7/8}	6
CM	20.3 x 88.5	36.8 x 88.5	53.2 x 88.5	69.6 x 88.5	86.0 x 88.5	102.5 x 88.5	
Inches	8 x 40 ^{1/8}	14 1/2 x 40 ^{1/8}	21 x 40 ^{1/8}	27 ^{1/2} x 40 ^{1/8}	33 ^{7/8} x 40 ^{1/8}	40 ^{3/8} x 40 ^{1/8}	7
CM	20.3 x 102.6	36.8 x 102.6	53.2 x 102.6	69.6 x 102.6	86.0 x 102.6	102.5 x 102.6	
Inches	8 x 45 ^{11/16}	14 1/2 x 46	21 x 46	27 ^{1/2} x 46	33 ^{7/8} x 46	40 ^{3/8} x 46	8
CM	20.3 x 116.8	36.8 x 116.8	53.2 x 116.8	69.6 x 116.8	86.0 x 116.8	102.5 x 116.8	



Door sizes [W x H]

A	6 ^{3/8} " x 5 ^{3/16} " (16.2 cm x 13.18 cm)
BH	12 ^{7/8} " x 5 ^{3/16} " (32.1 cm x 13.18 cm)
BV	6 ^{3/8} " x 10 ^{3/4} " (16.2 cm x 27.3 cm)
C	12 ^{7/8} " x 10 ^{3/4} " (32.1 cm x 27.3 cm)
D	12 ^{7/8} " x 16 ^{5/16} " (32.1 cm x 41.4 cm)
E	12 ^{7/8} " x 21 ^{7/8} " (32.1 cm x 55.6 cm)

Width and height quantity based on door type "A"

IMPORTANT NOTICE FOR ROUGH WALL OPENING

- Minimum wall opening depth 17 1/2" (44.5 cm) rough wall opening.
- To calculate rough wall opening add 1/4" (0.6 cm) to the actual width dimensions.

INTERIOR HORIZONTAL MAILBOXES

BAC-MBHRF2 Front loading model
BAC-MBHRR2 Rear loading model



Note: 1 compartment solely dedicated for master lock installation.
Option: High security locking panel (see page 7-).



Door sizes [W x H]

A	6 3/8" x 3" (16.2 cm x 7.6 cm)
B	6 3/8" x 6 3/8" (16.2 cm x 16.2 cm)
C	12 13/16" x 3" (32.5 cm x 7.6 cm)
D	12 13/16" x 6 3/8" (32.5 cm x 16.2 cm)
E	12 13/16" x 9 3/4" (32.5 cm x 24.8 cm)
F	12 13/16" x 13 1/8" (32.5 cm x 33.3 cm)

IMPORTANT NOTICE FOR ROUGH WALL OPENING

- Minimum wall opening depth 17 1/2" (44.5 cm) rough wall opening.
- To calculate rough wall opening add 1/4" (0.6 cm) to the actual width dimensions.

MEET OR EXCEED CANADA POST STANDARDS
(except for doors A & C)

STANDARD FEATURES

- Extruded aluminum for all visible parts, natural anodized finish #628
- Shelves and panels made of 22 gauge steel satin finish
- Gate mounted on stainless steel hinge pins
- Hinge bearing with nylon plate to eliminate friction on gate
- Frame made of 6005-T6 extra-sturdy extruded aluminum
- Mailbox doors made of extruded aluminum and reinforced on the side and the center by extrusion membrane
- Cylinder lock with 2 keys. Keyed differently.
- GRAVOPLY
- 1 compartment solely dedicated for master lock installation (front loading only)
- Master lock preparation (Master lock provided by Canada Post)

OPTIONS

- Front finishing trims
- Mail slots
- Variable depths
- 3 keys per lock
- Pedestal
- Master keys (for private mail distribution)
- Back locking panel (for model BAC-MBHRR2)
- High security locking panel
- Shroud (20 gauge galvalume steel)

Actual box dimensions: BAC-MBHRF2 and BAC-MBHRR2 [W x H]

WIDTH QTY	1	2	3	4	5	6	HEIGHT QTY
Inches	8 x 4 3/4	14 1/2 x 4 3/4	21 x 4 3/4	27 1/2 x 4 3/4	33 7/8 x 4 3/4	40 3/8 x 4 3/4	1
CM	20.3 x 12	36.8 x 12	53.3 x 12	69.9 x 12	86.0 x 12	102.6 x 12	
Inches	8 x 8 1/8	14 1/2 x 8 1/8	21 x 8 1/8	27 1/2 x 8 1/8	33 7/8 x 8 1/8	40 3/8 x 8 1/8	2
CM	20.3 x 20.6	36.8 x 20.6	53.3 x 20.6	69.9 x 20.6	86.0 x 20.6	102.6 x 20.6	
Inches	8 x 11 7/16	14 1/2 x 11 7/16	21 x 11 7/16	27 1/2 x 11 7/16	33 7/8 x 11 7/16	40 3/8 x 11 7/16	3
CM	20.3 x 29	36.8 x 29	53.3 x 29	69.9 x 29	86.0 x 29	102.6 x 29	
Inches	8 x 14 3/4	14 1/2 x 14 3/4	21 x 14 3/4	27 1/2 x 14 3/4	33 7/8 x 14 3/4	40 3/8 x 14 3/4	4
CM	20.3 x 37.5	36.8 x 37.5	53.3 x 37.5	69.9 x 37.5	86.0 x 37.5	102.6 x 37.5	
Inches	8 x 18 1/16	14 1/2 x 18 1/16	21 x 18 1/16	27 1/2 x 18 1/16	33 7/8 x 18 1/16	40 3/8 x 18 1/16	5
CM	20.3 x 45.9	36.8 x 45.9	53.2 x 45.9	69.6 x 45.9	86.0 x 45.9	102.6 x 45.9	
Inches	8 x 21 7/16	14 1/2 x 21 7/16	21 x 21 7/16	27 1/2 x 21 7/16	33 7/8 x 21 7/16	40 3/8 x 21 7/16	6
CM	20.3 x 54.4	36.8 x 54.4	53.2 x 54.4	69.6 x 54.4	86.0 x 54.4	102.5 x 54.4	
Inches	8 x 24 3/4	14 1/2 x 24 3/4	21 x 24 3/4	27 1/2 x 24 3/4	33 7/8 x 24 3/4	40 3/8 x 24 3/4	7
CM	20.3 x 62.9	36.8 x 62.9	53.2 x 62.9	69.6 x 62.9	86.0 x 62.9	102.5 x 62.9	
Inches	8 x 28 1/16	14 1/2 x 28 1/16	21 x 28 1/16	27 1/2 x 28 1/16	33 7/8 x 28 1/16	40 3/8 x 28 1/16	8
CM	20.3 x 71.3	36.8 x 71.3	53.2 x 71.3	69.6 x 71.3	86.0 x 71.3	102.5 x 71.3	
Inches	8 x 31 3/8	14 1/2 x 31 3/8	21 x 31 3/8	27 1/2 x 31 3/8	33 7/8 x 31 3/8	40 3/8 x 31 3/8	9
CM	20.3 x 79.7	36.8 x 79.7	53.2 x 79.7	69.6 x 79.7	86.0 x 79.7	102.5 x 79.7	
Inches	8 x 34 3/4	14 1/2 x 34 3/4	21 x 34 3/4	27 1/2 x 34 3/4	33 7/8 x 34 3/4	40 3/8 x 34 3/4	10
CM	20.3 x 88.3	36.8 x 88.3	53.2 x 88.3	69.6 x 88.3	86.0 x 88.3	102.5 x 88.3	
Inches	8 x 38 1/8	14 1/2 x 38 1/8	21 x 38 1/8	27 1/2 x 38 1/8	33 7/8 x 38 1/8	40 3/8 x 38 1/8	11
CM	20.3 x 96.8	36.8 x 96.8	53.2 x 96.8	69.6 x 96.8	86.0 x 96.8	102.5 x 96.8	
Inches	8 x 41 7/16	14 1/2 x 41 7/16	21 x 41 7/16	27 1/2 x 41 7/16	33 7/8 x 41 7/16	40 3/8 x 41 7/16	12
CM	20.3 x 105.2	36.8 x 105.2	53.2 x 105.2	69.6 x 105.2	86.0 x 105.2	102.5 x 105.2	

Width and height quantity based on door type "A"

EXTERIOR HORIZONTAL MAILBOXES

BAC-MBHE Wall mounted front loading model



Note: 1 compartment solely dedicated for master lock installation.

Option: High security locking panel (see page 7-).

BAC-MBHEP Pedestal front loading model



MEET OR EXCEED CANADA POST STANDARDS

DESCRIPTION

Extruded aluminum framing members and doors provide strength and resistance to corrosion. Compartments are fabricated of extruded and sheet aluminum. Mailboxes are completely assembled at the factory and are mounted to the wall or the pedestal on location. This product is designed for exterior use.

STANDARD FEATURES

- Shroud (painted aluminum 0.064")
- Reinforced for wall or pedestal installation
- Maximum 40 type "A" doors (5 W x 8 H)
- Extruded aluminum for all visible parts, natural anodized finish #628
- Shelves and panels made of 22 gauge galvalume steel
- Gate mounted on stainless steel hinge pins
- Hinge bearing with nylon plate to eliminate friction on gate
- Frame made of 6005-T6 extra-sturdy extruded aluminum
- Mailbox doors made of extruded aluminum and reinforced on the side and the center by extrusion membrane
- Cam lock with 2 keys and identification on grey gravoply plate
- GRAVOPLY
- 1 compartment solely dedicated for master lock installation (front loading only)
- Master lock preparation (Master lock provided by Canada Post)

OPTIONS

- Front finishing trims
- Mail slots
- Variable depths
- Master keys (for private mail distribution)
- High security locking panel
- 3 keys per lock

Actual box dimensions: BAC-MBHE and BAC-MBHEP [W x H]

WIDTH QTY	1	2	3	4	5	6	HEIGHT QTY
Inches	8 11/32 x 7 3/16	14 13/16 x 7 3/16	21 5/16 x 7 3/16	27 13/16 x 7 3/16	34 5/16 x 7 3/16	42 7/8 x 7 3/16	1
CM	21.2 x 18.2	37.6 x 18.2	54.1 x 18.2	70.6 x 18.2	87.1 x 18.2	103.8 x 18.2	
Inches	8 11/32 x 12 3/4	14 13/16 x 12 3/4	21 5/16 x 12 3/4	27 13/16 x 12 3/4	34 5/16 x 12 3/4	42 7/8 x 12 3/4	2
CM	21.2 x 32.4	37.6 x 32.4	54.1 x 32.4	70.6 x 32.4	87.1 x 32.4	103.8 x 32.4	
Inches	8 11/32 x 18 5/16	14 13/16 x 18 5/16	21 5/16 x 18 5/16	27 13/16 x 18 5/16	34 5/16 x 18 5/16	42 7/8 x 18 5/16	3
CM	21.2 x 46.5	37.6 x 46.5	54.1 x 46.5	70.6 x 46.5	87.0 x 46.5	103.8 x 46.5	
Inches	8 11/32 x 23 7/8	14 13/16 x 23 7/8	21 5/16 x 23 7/8	27 13/16 x 23 7/8	34 5/16 x 23 7/8	42 7/8 x 23 7/8	4
CM	21.2 x 60.6	37.6 x 60.6	54.1 x 60.6	70.6 x 60.6	87.0 x 60.6	103.8 x 60.6	
Inches	8 11/32 x 29 7/16	14 13/16 x 29 7/16	21 5/16 x 29 7/16	27 13/16 x 29 7/16	34 5/16 x 29 7/16	42 7/8 x 29 7/16	5
CM	21.2 x 74.8	37.6 x 74.8	54.1 x 74.8	70.6 x 74.8	87.0 x 74.8	103.8 x 74.8	
Inches	8 11/32 x 35	14 13/16 x 35	21 5/16 x 35	27 13/16 x 35	34 5/16 x 35	42 7/8 x 35	6
CM	21.2 x 88.9	37.6 x 88.9	54.1 x 88.9	70.6 x 88.9	87.0 x 88.9	103.8 x 88.9	
Inches	8 11/32 x 40 9/16	14 13/16 x 40 9/16	21 5/16 x 40 9/16	27 13/16 x 40 9/16	34 5/16 x 40 9/16	42 7/8 x 40 9/16	7
CM	21.2 x 103	37.6 x 103	54.1 x 103	70.6 x 103	87.0 x 103	103.8 x 103	
Inches	8 11/32 x 46 1/4	14 13/16 x 46 1/4	21 5/16 x 46 1/4	27 13/16 x 46 1/4	34 5/16 x 46 1/4	42 7/8 x 46 1/4	8
CM	21.2 x 117.5	37.6 x 117.5	54.1 x 117.5	70.6 x 117.5	87.0 x 117.5	103.8 x 117.5	

Door sizes [W x H]

A	6 3/8" x 5 3/16" (16.2 cm x 13.18 cm)
BH	12 7/8" x 5 3/16" (32.1 cm x 13.18 cm)
BV	6 3/8" x 10 3/4" (16.2 cm x 27.3 cm)
C	12 7/8" x 10 3/4" (32.1 cm x 27.3 cm)
D	12 7/8" x 16 5/16" (32.1 cm x 41.4 cm)
E	12 7/8" x 21 7/8" (32.1 cm x 55.6 cm)

IMPORTANT NOTICE

- Exterior depth of 17 5/8 (44.8 cm).

Width and height quantity based on door type "A"

COLLECTION BOXES

BAC-MBB Wall mounted front loading model



BAC-MBBP Pedestal front loading model



MEET OR EXCEED CANADA POST STANDARDS

Available in surface mount or on pedestal.
Usage: Private mail distribution OR for Canada Post delivery.

Placed on a pedestal, the parcel box can accommodate mail items too large to fit in a regular compartment. Fitted with a key-return slot, this model is designed for outdoor installation. Ideal for receiving parcels at home or at the office.

STANDARD FEATURES

- Installation: For exterior use
- Material: Aluminum/Galvanneal steel
- Locking mechanism: Cylinder lock with 2 keys
- Hinge: Hinges located on the right side
- Frame made of 6005-T6 extra-sturdy extruded aluminium
- Identification on name plate

OPTIONS


- Mail slots
- Engraving on doors
- GRAVOPLY

Decorative molding available



High security locking panel

Canada Post Installation



Canada Post Installation

Mailboxes come with a one-year warranty from date of delivery; against any defect in material or workmanship. We will not assume any responsibility for any damage (i.e. dents, scratches, etc.) or malfunctions due to faulty installation. An installation guide is provided with the purchase of each mailbox unit. All units must be installed plumb, level and square, and fastened into a solid frame with the appropriate screws. Installers must ensure that the frame is solid prior to installing the mailboxes.